

| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|---------------|---------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------|
| | CHO | SEAL MT001 | ADRIANE TURBINE METER •Flow rate range: 40 I/min to 10 000 I/min. •Accuracy: ± 0.1% •Repeatability 0.02% | PETROL, DIESEL LPG ADBLUE, JET, BIOFUEL, ETHANOL | LOADING OFFLOADING TRANSFER, TRUCKS Metering |
| ETERS | - | SEAL MT002 | POSITIVE DISPLACEMENT METERS, PD •Flow rate range: 20 I/min to 5 000 I/min. •Accuracy: ± 0.15% •Repeatability 0.02 % | PETROL, DIESEL LPG ADBLUE, JET, BIOFUEL, ETHANOL | LOADING OFFLOADING TRANSFER, TRUCKS Metering |
| FLOW METERS | | SEAL MT003 | HELICAL TURBINE METER •Flow rate range: 50 I/min to 5 000 I/min. •high viscosities (up to 350 cSt) •Accuracy class ± 0.1% •Repeatability 0.02% | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ETHANOL | LOADING OFFLOADING TRANSFER, TRUCKS Metering |
| | 🗳 Ū | SEAL MT004 | CORIOLIS MASS FLOW METERS •Flow: 0 to 2 200 000 kg/h (0 to 80 840 lb/min) •Accuracy: Mass flow (liquid): ±0.1 % •Repeatability 0.02% | PETROL, DIESEL, JET, LPG, HFO (HIGH VISCOSITY), OIL (LUB) | LOADING OFFLOADING TRANSFER, TRUCKS Metering |
| ctor | | SEAL HD001 | STRAINERS AND GAS EXTRACTOR •Certified (OIML) •Max Flow rate range: 150 m³/h - 2500 L/min. •Eiltration: Cartridge 80 μm | LIQUID HYDROCARBONS (NO LPG), ALCOHOL | LOADING OFFLOADING TRANSFER |
| Gas Extractor | | SEAL HD002 | ONLINE STRAINERS and GAS EXTRACTOR •Certified (OIML) •Max Flow rate range: 150 m ³ /h - 2500 L/min. •Filtration: Cartridge 100 μm •Pressure: 0 to 10 bar | LIQUID HYDROCARBONS (NO LPG), ALCOHOL | LOADING OFFLOADING TRANSFER |
| Filter & | | SEAL HD003 | GAS SEPARATOR •Certified (OIML) •Max Flow rate range: 150 m ³ /h - 2500 L/min. • 2 GAS detectors, DG3001 •Pressure: 0 to 10 bar | LIQUID HYDROCARBONS (NO LPG), ALCOHOL | LOADING OFFLOADING TRANSFER |
| Controllers | | SEAL MT005 | MICROCOMPT BATCH CONTROLLER •Certified (OIML) •Valve, TT, Meter, injectors, gas sensor, •Communication: Ethernet, RS485, RFID, CAN, WIFI, Bluetooth •ATEX : II 2 (1) G Exd [ia Ga] II B T6 Gb | ONE ARM METERING | LOADING ARMS, OFFLOADING ARMS, TRANSFER, BLANDING, INJECTION, TRUCKS METERING |
| Terminal | | SEAL MT006 | ATLAS TERMINAL •RFID identification •Communication: Ethernet, RS485, RFID, CAN, WIFI, Bluetooth •ATEX : II 2 (1) G Exd [ia Ga] II B T6 Gb | ІНМ | ATEX INTERFACE WITH AUTOMATION SYSTEM |



| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|------------------|----------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------|
| Injectors | | SEAL HD004 | ALMA INJECTOR MODULE • Filter, pulser, solenoid, valvel •Viscocity: < 12cSt •Flow: 50 / 500 L/H (up to 3000 ppm) •Calibration Connection Included | ADDITIVE OR DYE | ADDITIVE, INJECTION, REGULATION, DOSING |
| | 1356 | SEAL HD005 | INJECTOR MASTER METER • Controller with display with meter and solenoid •Easy connectors •ATEX | ADDITIVE OR DYE (MARKER) | MATER METER FOR INJECTION CALIBRATION WITHOUT ANY PRODUCT MANIPULATION |
| | and the second | SEAL ITOO1 | TEMPERATURE SENSOR •PT100 or 4-20 mA •-50 °C to 400 °C operating temperature •Max process pressure: up to 75 bar | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ALCOHOL, WATER | PROCESS, SAFETY |
| | | SEAL ITOO2 | FLOW SWITCH SENSOR •Large range or pressure | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ALCOHOL, WATER | PROCESS, SAFETY |
| lions | T T | SEAL IT003 | PRESSURE TRANSMITTER •4-20 mA, Hart, modbus, •Large range or pressure | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ALCOHOL, WATER | PROCESS, SAFETY |
| INSTRUMENTATIONS | Ø | SEAL IT004 | PRESSURE INDICATOR •Large range •Manifold in option | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ALCOHOL, WATER | PROCESS INDICATION |
| INSTRU | 0 | SEAL IT005 | TEMPERATURE INDICATOR •Large range | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ALCOHOL, WATER | PROCESS INDICATION |
| | × | SEAL IT006 | LEVEL MEASUREMENT •HL high Level •HHL (High high Level) •Optic | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ALCOHOL, WATER | SAFETY |
| | | SEAL IT007 | ATG - TANK GAUGING •Level (product, Water) T°, Density, Pressure •Radar, Guided •Hydrostatic •Ultrasonic | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ALCOHOL, WATER | PROCESS, SAFETY |



| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|---------------|--------------|------------|---------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------|
| | ری) دوران | SEAL SA001 | FIX GAS DETECTORS •Dual sensors •Bluetooth® Wireless Technology •LED light for visibility | TOXIC AND COMBULSTIBLE GASES | ATEX AREA |
| λL | | SEAL SA002 | PORTABLE GAS DETECTORS •Rechargeable, up to 17Hrs •Up to 4 gases CH4, O2, CO, NO2 •Auto-calibration | TOXIC AND COMBULSTIBLE GASES | ATEX AREA |
| SAFETY | | SEAL SA003 | LIQUID HYDROCARBON DETECTOR • Water presense detection. | HYDROCARBON PRODUCTS | PROCESS, SAFETY |
| | e | SEAL SA004 | FLAME DETECTOR •Outputs: 4-20 mA (sink or source analog), HART, Modbus, 5 A relays •316 stainless steel | TOXIC AND COMBULSTIBLE GASES | ATEX AREA |
| & Overfilling | | SEAL ST003 | GROUNDING/BONDING •ATEX •With Coiled cable and plud | REMOVE ELECTROSTATIC ELECTRICITY | TRUCKS, RAILCAR, REFUELER |
| Grounding | | SEAL ST004 | OVERVILL SENSOR •ATEX •With Coiled cable and plud | REMOVE ELECTROSTATIC ELECTRICITY | TRUCKS, RAILCAR, REFUELER |



| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|----------------------|---------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------|
| | o ter | SEAL HD006 | DIGITAL CONTROL VALVE •Hydraulic •NC/NC, 2 solenoid (Atex) •Pmax 10 bars | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ETHANOL | REGULATION, FLOW CONTROL |
| | | SEAL HD007 | TWO STAGE VALVE •Hydraulic •NC/NC, 2 solenoid (Atex) •Pmax 10 bars | PETROL, DIESEL | REGULATION, FLOW CONTROL |
| | - | SEAL HD008 | DIGITAL PNEUMATICAL VALVE •Air compressed valve •4-20 mA (IP) •Pmax 30 bars | PETROL, DIESEL LPG | REGULATION, FLOW CONTROL |
| Valves and Actuators | | SEAL HD009 | ROTORK ELECTRIC ACTUATORS •Isolating and regulating duty •Torque from 14 to 3,000 Nm (10 to 2,200 lbf.ft) to 40,800 Nm (30,000 lbf.ft) multi-turn (rotary) •Oil bath lubricated IP68 double-sealed option | VALVES | VALVE CONTROL AND SUPERVISION |
| /alves anc | | SEAL HD010 | CHECK VALVE / NON RETURN VALVE •Size up to 24" (ANSI B16.5) •Carbon Steel or Stainless Steel | ALL FLUIDS | OIL TERMINAL, LUBE PLANT, AVIATION FUEL INDUSTRIES EXPLORATION |
| | | SEAL HD011 | BALL VALVE •Size up to 24″ (ANSI B16.5) •Carbon Steel or Stainless Steel | ALL FLUIDS | OIL TERMINAL, LUBE PLANT, AVIATION FUEL INDUSTRIES EXPLORATION |
| | | SEAL HD012 | GLOBE VALVE •Size up to 24″ (ANSI B16.5) •Carbon Steel or Stainless Steel | ALL FLUIDS | OIL TERMINAL, LUBE PLANT, AVIATION FUEL INDUSTRIES EXPLORATION |
| | C | SEAL HD013 | STRAINER •Size up to 24" (ANSI B16.5) •Carbon Steel or Stainless Steel •Different microns (on demand) | ALL FLUIDS | OIL TERMINAL, LUBE PLANT, AVIATION FUEL INDUSTRIES EXPLORATION |
| sdu | | SEAL HD015 | DICKOW CENTRIFUGAL PUMPS • Maximum flow = 400 m3/h • Self-priming or not • ATEX Engine • Option : Soft Starter | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ETHANOL | OIL TERMINAL, LUBE PLANT, AVIATION FUEL INDUSTRIES EXPLORATION |
| Pumps | | SEAL HD016 | VOLUMETRIC PUMPS • Maximum flow = 500 m3/h • Self-priming • ATEX Engine • Option : Soft Starter | PETROL, DIESEL LPG, HEATING OIL ADBLUE, JET, BIOFUEL, ETHANOL | OIL TERMINAL, LUBE PLANT, AVIATION FUEL INDUSTRIES EXPLORATION |



| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|---------------|-------------|------------|---------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------|
| | | SEAL FF001 | FIRE PUMPS • Diesel pump • Electrical pump | WATER | OIL TERMINAL, LUBE PLANT, AVIATION, LPG PLANT, MINES, INDUSTRIES |
| | 10 4 | SEAL FF002 | JOCKEY PUMP • Electrical pump | WATER | OIL TERMINAL, LUBE PLANT, AVIATION, LPG PLANT, MINES, INDUSTRIES |
| ۶N | | SEAL FF003 | FOAM PUMP • Electrical pump | FOAM | OIL TERMINAL, LUBE PLANT, AVIATION, LPG PLANT, MINES, INDUSTRIES |
| FIRE FIGHTING | | SEAL FF004 | HOSE REEL | FOAM AND WATER | OIL TERMINAL, LUBE PLANT, AVIATION, LPG PLANT, MINES, INDUSTRIES |
| E E | 6 | SEAL FF005 | HYDRANTS | FOAM AND WATER | OIL TERMINAL, LUBE PLANT, AVIATION, LPG PLANT, MINES, INDUSTRIES |
| | | SEAL FF006 | MONITOR • Automation cabinet • Supervision • I/O, alarms, siren, | FIRE PROTECTION | OIL TERMINAL, LUBE PLANT, AVIATION, LPG PLANT, MINES, INDUSTRIES |
| | IIII | SEAL FF007 | Fittings, Valves, accessories | FOAM AND WATER | OIL TERMINAL, LUBE PLANT, AVIATION, LPG PLANT, MINES, INDUSTRIES |



| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|--------------|---------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------------------------------------|
| SKIDS | | SEAL MT005 | OFFLOADING METERING SKID • Turnkey skid • Pump, meter, controller • Pmax : 10 bars • Max flowrate: 2 500 l/min | PETROL, DIESEL LPG, HEATING OIL, JET | OIL TERMINAL, LUBE PLANT, AVIATION, MINES, INDUSTRIES |
| | | SEAL MT006 | BOTTOM LOADING SKID • Turnkey skid • Meter, controller, Arms, valve, grounding, overfilling • Process and Safety (safety valve, ESD) • Pmax : 10 bars • Max flowrate: 2 500 l/min | PETROL, DIESEL LPG, HEATING OIL, JET | OIL TERMINAL, LUBE PLANT, AVIATION, MINES, INDUSTRIES |
| | | SEAL MT007 | ADDITIVATION SKID (Storage and pump) • Turnkey skid • Storage 2 m3 • Pump 8 bars • Piping, valve, fittings | ADDITIVE OR DYE (MARKER) | OIL TERMINAL, AVIATION, MINES, INDUSTRIES |
| Mobile METER | | SEAL MT008 | GRAVITY OFFLOADING METER •Certified (OIML // WMA) •Flowrate 8 m3/h to 80 m3/h •Bluetooth, rechargeable battery, GPS •Portable: 6Kg | PETROL, DIESEL JET | OFFLOADING |
| | | SEAL MT009 | ETALCOMPT MASTER METER •Flowrate 15 m3/h to 150 m3/h •Controller integrated | PETROL, DIESEL JET | MASTER METER, CALIBRATION |



| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|-----------------|------------|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------------|
| LPG | Ċo | SEAL HD015 | LPG TURBINE METER •Size: 2" •Flowrate: 30 m3/h or 500 L/m •Stainless Steel or Aluminium. | LPG | LPG LOADING FACILITY, TRUCKS, METERING SKID |
| | | SEAL MT005 | MICROCOMPT CONTROLLER •Certified (OIML) •Communication: Ethernet, RS485, RFID, CAN, WIFI, Bluetooth •ATEX : II 2 (1) G Exd [ia Ga] II B T6 Gb | LPG | LPG LOADING FACILITY, TRUCKS, METERING SKID |
| | | SEAL HD016 | LPG MASTER METER •Certified (OIML // WMA) •Flowrate max 50 m3/h •Controller •Portable | LPG | LPG LOADING FACILITY, TRUCKS, METERING SKID |
| | - | SEAL HD017 | LPG FILTRATION AND LOADING VALVE | LPG | LPG LOADING FACILITY, TRUCKS, METERING SKID |
| | 💰 d t 1,~~ | SEAL HD018 | CHECK VALVE, NON RETURN VALVE | LPG | LPG LOADING FACILITY, TRUCKS, METERING SKID |
| | 200 | SEAL ST005 | EQUIPED JUNCTION BOX •Stainless steel •Eex"e" | | ALL INDUSTRIES |
| | | SEAL STOO6 | ATEX JUNCTION BOX •Polyester •Eex"e" | | ALL INDUSTRIES |
| ATEX EQUIPMENTS | | SEAL STOO7 | MONITOR • Eex"d" | | ALL INDUSTRIES |
| ATEX EQU | | SEAL STOO8 | EMERGENCY STOP BUTTON (ESD) | EX | ALL INDUSTRIES |
| | | SEAL ST009 | CABLES GLAND, PLUGS | | ALL INDUSTRIES |
| | | SEAL ST0010 | ATEX LIGHT • Fluo • LED | | ALL INDUSTRIES |



| | PICTURE | CODE | PART DESCRIPTION | PRODUCT / SPECS | APPLICATION |
|--------------|---------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------------------------------|
| | | SEAL HD019 | TOP LOADING ARM | HYDROCARBONS | TRUCKS, RAILCAR, SHIP |
| SMS | | SEAL HD020 | LPG LOADING ARMS (GAS AND PRODUCT) | LPG, CHIMICAL | TRUCKS, RAILCAR, SHIP |
| LOADING ARMS | | SEAL HD021 | BOTTOM LOADING ARMS | HYDROCARBONS | TRUCKS, RAILCAR, SHIP |
| ГО | | SEAL HD022 | OVERFILL SENSOR | HYDROCARBONS | TRUCKS, RAILCAR, SHIP |
| | | SEAL HD023 | DIRECTION SENSORS/ LEFT RIGHT | HYDROCARBONS | TRUCKS, RAILCAR, SHIP |
| 7 | | SEAL AV001 | WATER SEPARATOR | JIG | AIRPORTS, LOADING TERMINALS, STORAGE FACILITY |
| AVIATION | | SEAL AV002 | COALESCER | JIG | AIRPORTS, LOADING TERMINALS, STORAGE FACILITY |
| | | SEAL AV003 | CATRIDGES, MICROFILTERS | JIG | AIRPORTS, LOADING TERMINALS, STORAGE FACILITY |
| z | | SEAL AUT001 | TERMINAL MANAGEMENT SYSTEM (TMS) ATLAS NEO Software, PostGres Data base, WEB Design Supervision, reports ERP (SAGE, SAP), Interface Adiditivation Compartment management PLC Interfaces, Gauging Interface | WEB DESIGN, SCALABLE, MODULAR | LOADING TERMINALS, LPG FACILITIES, AIRPORT, MINES |
| AUTOMATION | | SEAL AUT002 | Process and Safety Automation • Pump automation • Tank Farm automation (High level, Tank Gauging, ESD,) • Transfer pump, actuated valves • Safety (ESD, Siren, Firefighting,) • Supervision | PROCESS AND SAFETY (SCHNEIDER AND SIEMENS) | LOADING TERMINALS, LPG FACILITIES, AIRPORT, MINES |
| | E . | SEAL AUT003 | Fire Fighting Automation Pump automation (Water and Foam), Scenario Supervision | SAFETY | LOADING TERMINALS, LPG FACILITIES, AIRPORT, MINES |